## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2510	310/90.ccls.	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 09:03
L3	1980	i2 and bearing\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/06/14 09:03
L4	28	i2 and bearing\$3 near span	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/06/14 09:04
L5	1	((JOEL) near2 (MADISON)).INV.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 09:34
L7	1208	290/52.ccls.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 09:38
L8	0	I7 and bearing\$3 near span	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 09:46
L9	451	I7 and bearing\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 09:46
L10	575	17 and (pump or (turbine near generator))	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 10:45
L11	289	I10 and bearing\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 10:45
L12	268	I11 and shaft	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 10:45
L13	130	I12 and thrust\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 10:47
L14	6	I13 and LNG	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 10:48
L15	718	415/180.ccls.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 11:14
L16	216	I15 and improve\$4	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 11:14
L17	157	I16 and bearing\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 11:15

L18	24	"310".clas. and bearing\$3 near (span or distance or length) near (short\$4 or reduce \$3)	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 11:17
19	58	("3082338"   "3164736"   "3624434"   "3714705"   "3726575"   "3816782"   "3932930"   "4286186"   "4319150"   "4321664"   "4340830"   "4360749"   "4409714"   "4571517"   "4661732"   "4658107"   "4661732"   "4711590"   "4711590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "471590"   "47114"   "5006743"   "5006743"   "50079464"   "50093592"   "5127148"   "5127148"   "5127148"   "5127148"   "512720"   "5430931"   "5430931"   "5430931"   "5430931"   "5532534"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 11:53

	***************************************	"5543671"   "5550418"   "5602436").PN. OR ("6215214"). URPN.	***************************************	***************************************	***************************************	· The second sec
L20	7	("29".clas. or "290".clas. or "415. clas") and bearing \$3 near (span or distance or length) near (short\$4 or reduce\$3)	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:31
L21	1492	("29".clas. or "290".clas. or "415. clas") and bearing \$3 and shaft and spacer	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:32
L22	1536	("310".clas.) and bearing\$3 and shaft and spacer	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:32
L23	120	("310".clas.) and bearing\$3 and shaft near2 spacer	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:32
L24	43	("310".clas.) and bearing\$3 and shaft and spacer and fiberglass	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:37
L25	58	("29".clas. or "290".clas. or "415. clas") and shaft and spacer and fiberglass	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:42
L26	20	("2829286"   "3060335"   "3371613"   "3347613"   "3443519"   "3525001"   "3525001"   "3653785"   "3932070"   "4347742"   "4838763"   "4890988"   "5618973"   "5661356"   "5704717"   "6247702"   "6379127"),PN. OR ("7265468"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14

L27	103	("310".clas.) and bearing\$3 and	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:47
		shaft and (spacer OR TUBE OR SLEEVE) and	***************************************		***************************************	
		fiberglass		***		

6/14/2008 2:04:48 PM

C:\ Documents and Settings\ jkim3\ My Documents\ EAST\ Workspaces\ motor\_12 \ 10776555.wsp